



## SureShot IntelliShot offers accurate dispensing of your dairy products.

Your customers will appreciate taste consistency and speedy service. Your employees will appreciate how easy the dispensers are to clean, operate and load. Plus, you'll enjoy the dramatic cost savings of bulk buying, controlling usage, and maximizing your operational efficiency.

SureShot Dairy Dispensers offer you maximum flexibility: use standard product or dairy bags from your current supplier, pour product into our refillable containers, or choose a bag-in-box program.

### FEATURES AND BENEFITS:

- Proven refrigeration system ensures consistent product quality, optimal shelf-life, and sanitation
- User-friendly, multi-functional control panel enables accurate dispensing of product in appropriate portions for all of your cup sizes and menu items
- Includes easy to read digital product selection display
- Dramatic cost savings by eliminating the waste and excess usage associated with free-pouring liquids
- Infrared programmability facilitates easy program updates and menu changes
- External temperature display and adjustment capability
- USA and Canada-wide Technical Service Network with SureShot Technical Assistance Center support



**AC230-PC**

### \* CHOOSE WHAT WORKS FOR YOU:



**Cardboard Bag-in-Box**



**Refillable Container**



**Product Case Caddy**



### PRODUCT RANGE & GENERAL SPECIFICATIONS

Model	Capacity***	Dimensions (LxWxH)**	Weight (lbs)	Power Requirements
AC110-PC	1 product x 2.5 gallons (1 x 10 litres)	18" x 9.5" x 24"	60	120 V AC, 60 Hz, 1 amp, 1 ph
AC220-FP	2 product x 2.5 gallons (2 x 10 litres)	22" x 12" x 24"	75	120 V AC, 60 Hz, 1 amp, 1 ph
AC230-PC	2 product x 2.5 gallons (2 x 10 litres)	23.75" x 15.5" x 24"	80	120 V AC, 60 Hz, 1 amp, 1 ph
AC320-FP	2 product x 1.5 gallons / 1 product x 2.5 gallons	21" x 12" x 24"	85	120 V AC, 60 Hz, 1 amp, 1 ph

\* Some conditions apply.

\*\* Height measurement with 1" legs installed. 2.5" and 4" legs available.

\*\*\* Capacity may vary depending on product delivery method.

